

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal202jxp

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	3	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	4	AUG 13	CA/Capplus enhanced with additional kind codes for granted patents
NEWS	5	AUG 20	CA/Capplus enhanced with CAS indexing in pre-1907 records
NEWS	6	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	7	AUG 27	USPATOLD now available on STN
NEWS	8	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	9	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	10	SEP 13	FORIS renamed to SOFIS
NEWS	11	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	12	SEP 17	CA/Capplus enhanced with printed CA page images from 1967-1998
NEWS	13	SEP 17	Capplus coverage extended to include traditional medicine patents
NEWS	14	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	15	OCT 02	CA/Capplus enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	16	OCT 19	BEILSTEIN updated with new compounds
NEWS	17	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	18	NOV 19	WPIX enhanced with XML display format
NEWS	19	NOV 30	ICSD reloaded with enhancements
NEWS	20	DEC 04	LINPADOCDB now available on STN
NEWS	21	DEC 14	BEILSTEIN pricing structure to change
NEWS	22	DEC 17	USPATOLD added to additional database clusters
NEWS	23	DEC 17	IMSDRUGCONF removed from database clusters and STN
NEWS	24	DEC 17	DGENE now includes more than 10 million sequences
NEWS	25	DEC 17	TOXCENTER enhanced with 2008 MeSH vocabulary in MEDLINE segment
NEWS	26	DEC 17	MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary
NEWS	27	DEC 17	CA/Capplus enhanced with new custom IPC display formats
NEWS	28	DEC 17	STN Viewer enhanced with full-text patent content from USPATOLD
NEWS	29	JAN 02	STN pricing information for 2008 now available
NEWS EXPRESS	19	SEPTEMBER 2007:	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that

specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 10:40:11 ON 03 JAN 2008

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 10:40:32 ON 03 JAN 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Jan 2008 VOL 148 ISS 1

FILE LAST UPDATED: 2 Jan 2008 (20080102/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s organic acid (s) ammonium nitrate

400333 ORGANIC

3969 ORGANICS

402882 ORGANIC

(ORGANIC OR ORGANICS)

1052949 ORG

16381 ORGS

1058916 ORG

(ORG OR ORGS)

1171370 ORGANIC

(ORGANIC OR ORG)

4505835 ACID

1607729 ACIDS

5012491 ACID

(ACID OR ACIDS)

61528 ORGANIC ACID

(ORGANIC(W) ACID)

408687 AMMONIUM

420 AMMONIUMS

408834 AMMONIUM

(AMMONIUM OR AMMONIUMS)

270529 NITRATE

83288 NITRATES

316093 NITRATE  
(NITRATE OR NITRATES)  
25365 AMMONIUM NITRATE  
(AMMONIUM(W)NITRATE)  
L1 27 ORGANIC ACID (S) AMMONIUM NITRATE

=> s l1 and ferment?  
192104 FERMENT?  
118226 FERMN  
6680 FERMNS  
119699 FERMN  
(FERMN OR FERMNS)  
224036 FERMENT?  
(FERMENT? OR FERMN)  
L2 2 L1 AND FERMENT?

=> d l2 ibib ab

L2 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 2004:610143 CAPLUS  
DOCUMENT NUMBER: 141:142185  
TITLE: Production of organic acid and  
ammonium nitrate  
INVENTOR(S): Verser, Dan; Eggeman, Tim  
PATENT ASSIGNEE(S): Zeachem, Inc., USA  
SOURCE: PCT Int. Appl., 19 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004063312	A2	20040729	WO 2004-US402	20040109
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ				
CA 2553082	A1	20040729	CA 2004-2553082	20040109
US 2006222585	A1	20061005	US 2005-541801	20050708
PRIORITY APPLN. INFO.:			US 2003-439148P	P 20030110
			WO 2004-US402	W 20040109

AB A process for the recovery of organic acids from dilute solns. such as those produced by fermn., when the organic acids are present as dilute salt solns., is provided. The organic acid production process is integrated with a nitrogen fertilizer production process by utilizing wasted chemical energy from the fertilizer process for acidification of the organic acid solution

=> d l2 ibib ab 2

L2 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 1968:458374 CAPLUS  
DOCUMENT NUMBER: 69:58374  
ORIGINAL REFERENCE NO.: 69:10891a,10894a  
TITLE: Effect of ammonium nitrate on the  
yield of alcohol and losses of organic  
acids during fermentation of fruit  
and berry juices  
AUTHOR(S): Maiorov, V. S.; Shashilova, V. P.  
CORPORATE SOURCE: Vses. Nauch.-Issled. Inst. Pivo-Bezalk. Prom., USSR  
SOURCE: Vinodelie i Vinogradarstvo SSSR (1968), 28(4), 26-7  
CODEN: VIVSA6; ISSN: 0042-6318

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Apple, cornel cherry, ashberry, bilberry, and damson plum juices were fermented with yeast type Moscow 30 at 20-25° for 12 days. The acidity of the first 3 juices, containing mainly malic acid, decreased during fermentation when the total N was under 200 mg./l. After N adjustment to 250-300 mg./l., the acidity did not decrease. The yield of EtOH improved in all cases except the apple juice.

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	18.34	18.55
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.60	-1.60

FILE 'REGISTRY' ENTERED AT 10:42:59 ON 03 JAN 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 JAN 2008 HIGHEST RN 959900-89-1

DICTIONARY FILE UPDATES: 2 JAN 2008 HIGHEST RN 959900-89-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> e lactic acid/cn

E1	1	LACTET-VITAMIN A MIXT./CN
E2	1	LACTIBIANE TOLERANCE/CN
E3	1 -->	LACTIC ACID/CN
E4	1	LACTIC ACID (2,6-DICHLOROBENZYLIDENE)HYDRAZIDE/CN
E5	1	LACTIC ACID (DL-), CYCLIC ESTER WITH N-HYDRACRYLOYLGLYCINE/CN
E6	1	LACTIC ACID B-NAPHTHYL ESTER/CN
E7	1	LACTIC ACID 1-AMINO-2-PROPANOL SALT/CN
E8	1	LACTIC ACID 2-OCTYLDODECYL ESTER/CN
E9	1	LACTIC ACID 3,4-DICHLOROANILIDE/CN
E10	1	LACTIC ACID AMIDE/CN
E11	1	LACTIC ACID ANHYDRIDE/CN
E12	1	LACTIC ACID BENZOATE/CN

=> s e3

L3 1 "LACTIC ACID"/CN

=> e ammonium nitrate/cn

E1 1 AMMONIUM NIOBIUM VANADIUM OXIDE PHOSPHATE ((NH4)0.12NB0.86VO

```

      .14O(PO4)), HYDRATE/CN
E2      1      AMMONIUM NIOBOTUNGSTOPHOSPHATE/CN
E3      1 --> AMMONIUM NITRATE/CN
E4      1      AMMONIUM NITRATE ((ND4)NO3)/CN
E5      1      AMMONIUM NITRATE ((NH4)H(NO3)2)/CN
E6      1      AMMONIUM NITRATE ((NH4)H2(NO3)3)/CN
E7      1      AMMONIUM NITRATE (15NH415NO3)/CN
E8      1      AMMONIUM NITRATE (15NH4NO3)/CN
E9      1      AMMONIUM NITRATE (NH415NO3)/CN
E10     1      AMMONIUM NITRATE (NH4NO3)/CN
E11     1      AMMONIUM NITRATE AMMONIATE/CN
E12     1      AMMONIUM NITRATE DIHYDRATE/CN

```

=> s e3

L4 1 "AMMONIUM NITRATE"/CN

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	10.76	29.31
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.60

FILE 'CAPLUS' ENTERED AT 10:43:46 ON 03 JAN 2008  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Jan 2008 VOL 148 ISS 1  
 FILE LAST UPDATED: 2 Jan 2008 (20080102/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3/prep

```

      59412 L3
      4508518 PREP/RL
L5      5532 L3/PREP
      (L3 (L) PREP/RL)

```

=> s l4/prep

```

      19137 L4
      4508518 PREP/RL
L6      1645 L4/PREP
      (L4 (L) PREP/RL)

```

=> s l5 and l6

L7 3 L5 AND L6

=> d his

(FILE 'HOME' ENTERED AT 10:40:11 ON 03 JAN 2008)

FILE 'CAPLUS' ENTERED AT 10:40:32 ON 03 JAN 2008

L1 27 S ORGANIC ACID (S) AMMONIUM NITRATE  
L2 2 S L1 AND FERMENT?

FILE 'REGISTRY' ENTERED AT 10:42:59 ON 03 JAN 2008

E LACTIC ACID/CN  
L3 1 S E3  
E AMMONIUM NITRATE/CN  
L4 1 S E3

FILE 'CAPLUS' ENTERED AT 10:43:46 ON 03 JAN 2008

L5 5532 S L3/PREP  
L6 1645 S L4/PREP  
L7 3 S L5 AND L6

=> s l7 not l2

L8 3 L7 NOT L2

=> d l8 ibib ab 1-3

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1958:68217 CAPLUS

DOCUMENT NUMBER: 52:68217

ORIGINAL REFERENCE NO.: 52:12267e-i

TITLE: Industrial chemicals (Second Edition)

AUTHOR(S): Faith, W. L.; Keyes, Donald B.; Clark, Ronald L.

SOURCE: John Wiley & Sons (1957) 844 pp.

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

AB cf. C.A. 45, 1310i. For the following industrial chems. this book gives current manufacturing processes, flowsheets, and process variables; average yield;

raw material, utility, and labor requirements per unit product; 20-yr production and price charts; use pattern; phys. properties, grades, shipping regulations, and containers; list of U.S. manufacturers and plant sites; and discussion of competitive products and processes, recent trends in manufacture and sales, plant size, recent plant costs: AcH, acetanilid, AcOH, Ac2O, acetone, C2H2, acrylonitrile, adipic acid, alkylamines, alkylarylsulfonate, alum, AlCl3, Al2(SO4)3, NH3, NH4Cl, NH4NO3, (NH4)2SO4, amyl acetate, amyl alc., aniline, anthraquinone, aspirin, BCO3, BzH, benzene, benzene hexachloride, BzOH, 2-naphthol, H3BO3, Br, butadiene, BuOAc, BuOH, butyraldehyde, CaCl2, Ca3(PO4)2, Ca2SO4, carbon black, CO2, CS2, CCl4, CM-cellulose, cellulose acetate, cellulose nitrate, chloral Cl, chloro- and dichlorobenzene, CHCl3, Cr2O3, citric acid, coke and coal gas, CuSO4, cresol, crotonaldehyde, dialkyl phthalates, dichlorodifluoromethane, DDT, 2,4-D, di-phenylamine, ethanolamines, Et2O, EtOAc, EtOH, EtCl, C2H4, C2H4Cl, ethylene glycol, ethylene oxide, FeSO4, HCHO, HCOOH, furfural, glycerol, hexamethylenetetra-, mine, hydrazine, HCl, HF, H, HCN, H2O2, I, iso-PrOH, lactic acid, lime, litharge, Li2CO3, maleic anhydride, MeOH, MeCl and methylene dichloride, MeCOEt, Me iso-Bu ketone, Na glutamate, naphthalene, HNO3, nitrobenzene, nitro paraffins, oxalic acid, O, penicillin, pentaerythritol, perchloroethylene, phenol, H3PO4, P, POCl3, phthalic anhydride, polyethylene, KClO3, KCl, KMnO4, pyridine, salicylic acid, Na, NaHCO3, Na2CO3, NaClO3, NaCl, NaCrO4 and Na2Cr2O7, NaOH, Na phosphates, Na silicates, Na2SO4, Na2S2O3.5H2O, sorbitol, stearic acid, styrene, S, H2SO4, PbEt4, TiO2, toluene, 2,4-tolylene diisocyanate, trichloroethylene, tritolyl phosphate, urea, vanillin, vinyl acetate, vinyl chloride, xylene, ZnO.

L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1951:7309 CAPLUS  
DOCUMENT NUMBER: 45:7309  
ORIGINAL REFERENCE NO.: 45:1310i,1311a-c  
TITLE: Industrial chemicals  
AUTHOR(S): Faith, W. L.; Keyes, Donald B.; Clark, Ronald L.  
SOURCE: John Wiley & Sons (1950) 652 pp.  
DOCUMENT TYPE: Journal  
LANGUAGE: Unavailable

AB For the following industrial chemicals this book gives: current manufacturing processes, flowsheets, and process variables; average yield; raw material, utility, and labor requirements per unit product; 20-yr. production and price charts; use pattern; phys. properties, grades, shipping regulations, and containers; map of U.S. manufacturing sites; and a discussion of competitive

products and processes, recent trends in mfg. and sales, plant size, and 1946 plant cost: AcH, AcOH, Ac<sub>2</sub>O, Me<sub>2</sub>CO, C<sub>2</sub>H<sub>2</sub>, acrylonitrile, adipic acid, alkylamines, allyl alc., alum, AlCl<sub>3</sub>, Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, NH<sub>3</sub>, NH<sub>4</sub>NO<sub>3</sub>, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, Am acetate, AmOH, PhNH<sub>2</sub>, anthraquinone, BzH, C<sub>6</sub>H<sub>6</sub>, BzOH, 2-naphthol, H<sub>3</sub>BO<sub>3</sub>, Br, butadiene, Bu acetate, BuOH, CaCl<sub>2</sub>, carbon black, CO<sub>2</sub>, CS<sub>2</sub>, CCl<sub>4</sub>, cellulose acetate, cellulose nitrate, chloral, Cl, chloro- and dichlorobenzene, CHCl<sub>3</sub>, Cr<sub>2</sub>O<sub>3</sub>, citric acid, coke and coal gas, CuSO<sub>4</sub>, cresol, crotonaldehyde, dialkyl phthalates, DDT, 2,4-D, Ph<sub>2</sub>NH, Et<sub>2</sub>O, AcOEt, EtOH, ethylcellulose, EtCl, C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>, ethylene glycol, FeSO<sub>4</sub>, HCHO, HCOOH, furfural, glycerol, hexamethylenetetramine, HCl, HF, H, iso-PROH, lactic acid, lime, maleic anhydride, MeOH, MeCl, MeCOEt, naphthalene, HNO<sub>3</sub>, PhNO<sub>2</sub>, nitro paraffins, oxalic acid, O, penicillin, pentaerythritol, PhOH, H<sub>3</sub>PO<sub>4</sub>, P, POCl<sub>3</sub>, phthalic anhydride, KClO<sub>3</sub>, KMnO<sub>4</sub>, pyridine, salicylic acid, Na, NaHCO<sub>3</sub>, Na<sub>2</sub>CO<sub>3</sub>, NaClO<sub>3</sub>, NaCrO<sub>4</sub> and Na<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub>, NaOH, sodium phosphates, sodium silicates, Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>·5H<sub>2</sub>O, sorbitol, styrene, H<sub>2</sub>SO<sub>4</sub>, PhMe, C<sub>2</sub>HCl<sub>3</sub>, tritoyl phosphate, urea, vanillin, and xylene.

L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1945:16170 CAPLUS  
DOCUMENT NUMBER: 39:16170  
ORIGINAL REFERENCE NO.: 39:2533b-g  
TITLE: Formation of acid from sugar by *Aspergillus niger*. XI. Factors determining the accumulation of citric acid. 2  
AUTHOR(S): Bernhauer, Konrad; Knobloch, Heinrich; Iglauer, Anton  
SOURCE: Biochemische Zeitschrift (1941), 309, 151-78  
CODEN: BIZEA2; ISSN: 0366-0753  
DOCUMENT TYPE: Journal  
LANGUAGE: Unavailable

AB cf. C.A. 37, 3790.1,3. Repeated inoculation of a nutrient medium (15% pure sugar, 0.2% NH<sub>4</sub>NO<sub>3</sub>, 0.1% KH<sub>2</sub>PO<sub>4</sub>, 0.025% MgSO<sub>4</sub>, and 0.01-0.02 N HCl in ordinary water) with spores of a weak acid-forming strain of *Aspergillus niger* resulted in a considerable increase in citric acid formation. Similar repeated inoculation of an agar nutrient medium did not affect the acid production. Acid formation at temps. between 28 and 35° remained constant, but the upper temperature limit was 40-42°. Varying the age of the spores (up to 3 years) had an effect. Inoculation of spores in suspension with talcum, kieselguhr, or sea sand produced less acid than inoculation with spores suspended in plain water. *Bolus alba* did not have such an inhibiting action. The number of spores in the inoculating suspension had little effect on acid production within the limits of 1 to 57 million spores per 100 cc. medium. Brief heating of the spores (by immersing the flask for 1 min. in boiling water) inhibited growth and acid production slightly when NH<sub>4</sub>-NO<sub>3</sub> was used, but where Mg(NO<sub>3</sub>)<sub>2</sub> was used, the acid formation was increased. Lowering the P content of the medium to 0.005% affected acid formation very little, and lowering the MgSO<sub>4</sub> to 0.0065% caused a small decrease. The stimulating action of MgCl<sub>2</sub> on acid production was exerted during the developmental phase, and addition of the

MgCl<sub>2</sub> 48 h. after the inoculation delayed the maximum point of acid production by 48 h.

Fungi, grown in the solution containing  $MgCl_2$ , inoculated into a nutrient medium

with or without  $MgCl_2$  caused greater acid production. Mn salts had no constant influence on acid production. Addns. of Ca, Zn, Cu, ferric,  $WO_4$ , F,  $BF_4$ ,  $SO_3$ , CNS, I,  $ClO_4$ , and lactate ions inhibited acid production. The optimum pH for acid production was on the acid side. In media containing Mg inhibition of acid

production was brought about with a smaller addition of acid than in the presence

of  $NH_4NO_3$  and  $HNO_3$ ;  $H_2SO_4$  or  $H_3PO_4$  had the same effect. A 20% sugar solution consisting of 17.5% invert sugar and 2.5% sucrose gave a moderate increase in fermentation. A lower concentration invert sugar did not affect acid production. Most

strains produced more acid from sucrose than from glucose. With tech. glucose only 4 out of 34 strains produced greater amts. of acid. Molasses was suitable as a carbon source for acid formation, but large differences were observed with molasses of different origin. Most of the expts. were made with surface cultures, because in expts. where the cultures are shaken, very little citric acid was formed.



[First Hit](#)   [Previous Doc](#)   [Next Doc](#)   [Go to Doc#](#)**End of Result Set**☐ [Generate Collection](#) [Print](#)

L9: Entry 5 of 5

File: EPAB

Dec 27, 2002

PUB-NO: WO002102740A1

DOCUMENT-IDENTIFIER: WO 2102740 A1

TITLE: LIQUID BIOTECHNOLOGICAL FERTILISER

PUBN-DATE: December 27, 2002

## INVENTOR-INFORMATION:

NAME

BERAN, ZDENEK

COUNTRY

CZ

## ASSIGNEE-INFORMATION:

NAME

BERAN ZDENEK

COUNTRY

CZ

APPL-NO: CZ00200036

APPL-DATE: June 17, 2002

PRIORITY-DATA: CZ200112101U (June 18, 2001)

INT-CL (IPC): C05C 9/00; C05C 1/00; C05D 1/02

EUR-CL (EPC): C05C001/00; C05F005/00, C05F017/00 , C05G003/00

## ABSTRACT:

CHG DATE=20030305 STATUS=O>For applications as nutrient for field plants, vegetables, fruit trees and vines, and for mass agriculture production as well as for small growers and garden keepers there is prepared a liquid fertiliser based on liquid residues from a separation of ferment spirit, citric acid and a sodium glutamate, the fertiliser in accordance with the invention comprising from 10 up to 50 % of mass of organic combustible substance matter of the liquid residues and up to 20 % of mass of potassium sulphate and/or potassium chloride, the content of potassium oxide in the fertiliser being within the range from 2 to 15 % of mass. Also according to the invention the said fertiliser may comprise at least 10 % of mass of urea, up to 50 % of mass of ammonium nitrate, the content of nitrogen in the fertiliser being within the range from 5 to 25 % of mass and/or up to 30% of magnesium nitrate, the content of magnesium oxide in the fertiliser being within the range from 0,2 to 8,0 % of mass.

[Previous Doc](#)   [Next Doc](#)   [Go to Doc#](#)